

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 92A0

NAME: Salix alba and Populus alba galleries

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2006-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

Dimopoulos P., Xystrakis F. and Tsiripidis I. 2014. Deliverable A1. Final Catalogue of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 54.

Dimopoulos P., Fotiadis G., Tsiripidis I., Panitsa M. and Karadimou E. 2014. Deliverable A2. Report and Literature Database on Habitat Types of Greece – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 210.

Tsiripidis I., Xystrakis F., Kasampalis D., Mastrogianni A., Strid A. and Dimopoulos P., 2014. Deliverable A4. Potential Distribution Maps of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, Athens, pages 176.

Dimopoulos P., Tsiripidis I., Xystrakis F., Panitsa M., Fotiadis G., Kallimanis A.S. and Kazoglou I. 2014. Deliverable A6. Explanatory Implementation Manual for the Conservation Degree Assessment of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 35. (with Annexes: I. Habitat types protocols, pages 600; II. Explanatory notes on the habitat types protocols selection, pages 4; III. Correspondence of Habitat types protocols with the clusters of vegetation relevés (excel file).

Dimopoulos P., Tsiripidis I., Xystrakis F., Kallimanis A.S and Panitsa M. 2014. Deliverable A7. Preliminary Analysis of the Field Data for the Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 16.

Αθανασιάδης Ν., Θεοδωρόπουλος Κ., Ελευθεριάδου Ε. & Δρόσος Ε. 1996. Δασικές φυτοκοινωνίες του δέλτα του Θεσσαλικού Πηνειού. Επιστ. Επετ. Τμημ. Δασολογίας και Φυσικού Περιβάλλοντος 39(2): 879-902.

Βασιλόπουλος Γ. 2005. Ανάλυση της χλωριδικής δομής και διερεύνηση της διαδοχής στις φυσικές και ανθρωπογενείς φυτοκοινωνίες του παρόχθιου δάσους Νέστου. Μεταπτυχιακή Διατριβή. ΑΠΘ, σελ. 140.

Βασιλόπουλος Γ., Τσιριπίδης Ι. & Μπαμπαλώνας Δ. 2005. Συμβολή στη γνώση της βλάστησης των παρόχθιων δασών της νότιας Βαλκανικής Χερσονήσου. Πρακτικά 10ου Πανελληνίου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρείας, Ιωάννινα, 5-8 Μαΐου 2005, σελ. 10 (σε CD).

Βιτώρης Κ. 2000. Ανάλυση δομής – δυναμική και οικολογική ερμηνεία των παρόχθιων δασών της Κερκίνης και του Στρυμόνα. Διδακτορική Διατριβή. ΑΠΘ, σελ. 144.

Βραχνάκης Μ., Φωτιάδης Γ. & Καζόγλου Ι. 2011. Τύποι Οικοτόπων Εθνικού Πάρκου Πρεσπών – Αναγνώριση-Καταγραφή 2011. Εταιρία Προστασίας Πρεσπών, σελ.

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

. 101.

Γεωργιάδης Θ., Δημόπουλος Π., Πανίτσα Μ. & Δημητρέλλος Γ. 1996. Τα φυσικά οικοσυστήματα της Πελοποννήσου με βάση την ποικιλότητα σε τύπους οικοτόπων και τα σημαντικά τους είδη. Πρακτικά 6ου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρείας και της Βιολογικής Εταιρείας Κύπρου, Παραλίμνι Κύπρου, 6-11 Απριλίου 1996: 68-73.

Georgiadis Th., Dimopoulos P. & Dimitrellos G. 1997. The flora and vegetation of the Acheron Delta (W Greece) aiming at nature conservation. *Phyton* 37: 31-60.

Θεοδωρόπουλος Κ. 2001. Ζώνες βλάστησης και τύποι οικοτόπων του νομού Θεσσαλονίκης. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 353-381.

Θεοδωρόπουλος Κ., Ελευθεριάδου Ε. & Τσιριπίδης Ι. 2006. Ποικιλότητα τύπων οικοτόπων της περιοχής "Στενά Καλαμακίου" του δικτύου "Φύση 2000". Πρακτικά 4ου Πανελληνίου Λιβαδοπονικού Συνεδρίου της Ελληνικής Λιβαδοπονικής Εταιρείας, Βόλος, 10-12 Νοεμβρίου 2004: 39-49.

Καράγιαννη Π., Τηνιακού Α. & Γεωργιάδης Θ. 2005. Συμβολή στην παρόχθια βλάστηση των ποταμών της Δυτικής Ελλάδος. Πρακτικά 10ου Πανελληνίου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρείας, Ιωάννινα, 5-8 Μαΐου 2005, σελ. 10 (σε CD).

Korakis G. & Gerasimidis A. 2006. Coastal and halophytic habitats and their flora in Evrotas Delta (SE Peloponnisos, Greece). *J. Biol. Res.* 6: 155-166.

Krause W., Ludwig W. & Seidel F. 1963. Zur Kenntnis der Flora und Vegetation auf Serpentinstandorten des Balkans. 6. Vegetationsstudien in der Umgebung von Mantoudi (Euböa). *Bot. Jahrb. Syst.* 82(4): 337-403 + 7 tables.

Κωνσταντινίδης Π. & Τσιουρλής Γ. 2001. Οι βλαστητικές μονάδες (τύποι οικοτόπων) της Επαρχίας Λαγκαδά (Λεκάνη Μυγδονίας): Μέρος Ι: Περιγραφή, ανάλυση και χαρτογράφηση. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 627-654.

Κωνσταντινίδης Π. & Τσιουρλής Γ. 2001. Οι τύποι οικοτόπων της Επαρχίας Λαγκαδά (Λεκάνης Μυγδονίας): Μέρος ΙΙ. Οικολογική κατάσταση και δυναμική. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 655-680.

Παναγιωτίδης Σ. & Φωτιάδης Γ. 2001. Μονάδες βλάστησης κατάλοιπων παρόχθινων δασών της κεντρικής Μακεδονίας. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 477-488.

Φωτιάδης Γ. 2004. Καθορισμός των δασικών φυτοκοινωνιολογικών μονάδων του Ελληνικού τμήματος του όρους Μπέλες και της οροσειράς των Κρουσίων. Διδακτορική Διατριβή, ΑΠΘ, σελ. 273 + Παράρτημα.

Φωτιάδης Γ., Καζόγλου Ι. & Μπούσμπουρας Δ. 2008. Τύποι βλάστησης της λίμνης Χειμαδίτιδας πριν από την τεχνητή άνοδο της στάθμης της. Πρακτικά 6ου Πανελληνίου Λιβαδοπονικού Συνεδρίου, Λεωνίδιο Αρκαδίας, 2-4 Οκτωβρίου 2008: 101-106.

Vasilopoulos G., Tsiripidis I. & Karagiannakidou V. 2007. Do abandoned tree plantations resemble natural riparian forests? A case study from northeast Greece. *Bot. Helv.* 117: 125-142.

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km ²)	2679
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unkown No method
2.3.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat

2.4.1 Surface area (km ²)	267,3
2.4.2 Year or period	2000-2012
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2001-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min max
2.4.7 Short term trend method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.8 Long-term trend period	
2.4.9 Long-term trend direction	N/A
2.4.10 Long-term trend magnitude	min max
2.4.11 Long term trend method used	N/A
2.4.12 Favourable reference area	area (km) operator approximately equal to (≈) unknown No method
2.4.13 Reason for change	Improved knowledge/more accurate data Use of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Cultivation (A01)	low importance (L)	N/A
mowing / cutting of grassland (A03)	low importance (L)	N/A
grazing (A04)	low importance (L)	N/A
forest planting on open ground (B01)	low importance (L)	N/A
forest exploitation without replanting or natural regrowth (B03)	low importance (L)	N/A
grazing in forests/ woodland (B06)	low importance (L)	N/A
Mining and quarrying (C01)	low importance (L)	N/A
Roads, paths and railroads (D01)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
Discharges (E03)	low importance (L)	N/A

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Structures, buildings in the landscape (E04)	low importance (L)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
Sport and leisure structures (G02)	low importance (L)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
invasive non-native species (I01)	low importance (L)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Other ecosystem modifications (J03)	low importance (L)	N/A
storm, cyclone (L07)	low importance (L)	N/A
Forest and Plantation management & use (B02)	low importance (L)	N/A

2.5.1 Method used – pressures mainly based on expert judgement and other data (2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Cultivation (A01)	low importance (L)	N/A
mowing / cutting of grassland (A03)	low importance (L)	N/A
grazing (A04)	low importance (L)	N/A
Fertilisation (A08)	low importance (L)	N/A
forest planting on open ground (B01)	low importance (L)	N/A
Forest and Plantation management & use (B02)	low importance (L)	N/A
Mining and quarrying (C01)	low importance (L)	N/A
Improved access to site (D05)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
Discharges (E03)	low importance (L)	N/A
Structures, buildings in the landscape (E04)	low importance (L)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
Sport and leisure structures (G02)	low importance (L)	N/A
Other human intrusions and disturbances (G05)	low importance (L)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
invasive non-native species (I01)	low importance (L)	N/A
fire and fire suppression (J01)	low importance (L)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Other ecosystem modifications (J03)	low importance (L)	N/A
modification of cultivation practices (A02)	low importance (L)	N/A

2.6.1 Method used – threats expert opinion (1)

2.7 Complementary Information

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.7.1 Species

Agrostis stolonifera

Alnus glutinosa

Aristolochia clematitis

Arum italicum

Calystegia sepium

Clematis vitalba

Cornus sanguinea

Cynanchum acutum

Equisetum arvense

Equisetum telmateia

Humulus lupulus

Leucojum aestivum

Lycopus europaeus

Parietaria officinalis

Periploca graeca

Platanus orientalis

Populus alba

Populus nigra

Rumex conglomeratus

Salix alba

Salix amplexicaulis

Salix cinerea

Salix elaeagnos

Salix fragilis

Salix purpurea

Salix triandra

Salix xanthicola

Silene baccifera

Smilax excelsa

Solanum dulcamara

Ulmus minor

Urtica dioica

Vitex agnus-castus

Vitis vinifera

2.7.2 Species method used

Typical species were determined on the basis of a vegetation database, comprised of about 22000 sampling plots. First, a list of possible typical species was determined per habitat type, selecting the ones presenting a high fidelity value to the habitat types according the algorithm of Tsiripidis et al. (2009) and the phi coefficient value (Chytrý et al. 2002). Then typical species per habitat

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

type were selected from the above-mentioned lists by expert judgment and using as criteria species niche breadth, their ability to comprise indicators of habitat types' conservation status and their function as keystone species. The nomenclature of the typical species follows Dimopoulos et al. (2013).

References

Chytrý, M., Tichý, L., Holt, J. & Botta-Dukat, J. 2002. Determination of diagnostic species with statistical fidelity measures. *Journal of Vegetation Science* 13: 79–90.

Dimopoulos, P., Raus, Th., Bergmeier, E., Constantinidis, Th., Iatrou, G., Kokkini, S., Strid, A. & Tzanoudakis, D. 2013: *Vascular plants of Greece: an annotated checklist*. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin; Athens: Hellenic Botanical Society. *Englera* 31: 1-367.

Tsiripidis, I., Bergmeier, E., Fotiadis, G. & Dimopoulos, P. 2009. A new algorithm for the determination of differential taxa. *Journal of Vegetation Science* 20: 233-240.

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Complete survey/Complete survey or a statistically robust estimate (3)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Favourable (FV)
qualifiers N/A

2.8.2 Area

assessment Favourable (FV)
qualifiers N/A

2.8.3 Specific structures and functions (incl Species)

assessment Favourable (FV)
qualifiers N/A

2.8.4 Future prospects

assessment Inadequate (U1)
qualifiers stable (=)

2.8.5 Overall assessment of Conservation Status

Inadequate (U1)

2.8.5 Overall trend in Conservation Status

stable (=)

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

min 40,6 max 40,6

3.1.2 Method used

Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area

stable (0)

3.2 Conversation Measures

3.2.1 Measure

3.2.2 Type

3.2.3 Ranking

3.2.4 Location

3.2.5 Broad Evaluation

Establish protected areas/sites (6.1)

Legal
Administrative
One-off

medium
importance (M)

Inside

Enhance
Long term