

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 1310

NAME: Salicornia and other annuals colonizing mud and sand

1. National Level

1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2006-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

Dimopoulos P., Xystrakis F. and Tsiripidis I. 2014. Deliverable A1. Final Catalogue of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 54.

Dimopoulos P., Fotiadis G., Tsiripidis I., Panitsa M. and Karadimou E. 2014. Deliverable A2. Report and Literature Database on Habitat Types of Greece – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 210.

Tsiripidis I., Xystrakis F., Kasampalis D., Mastrogianni A., Strid A. and Dimopoulos P., 2014. Deliverable A4. Potential Distribution Maps of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, Athens, pages 176.

Dimopoulos P., Tsiripidis I., Xystrakis F., Panitsa M., Fotiadis G., Kallimanis A.S. and Kazoglou I. 2014. Deliverable A6. Explanatory Implementation Manual for the Conservation Degree Assessment of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 35. (with Annexes: I. Habitat types protocols, pages 600; II. Explanatory notes on the habitat types protocols selection, pages 4; III. Correspondence of Habitat types protocols with the clusters of vegetation relevés (excel file).

Dimopoulos P., Tsiripidis I., Xystrakis F., Kallimanis A.S and Panitsa M. 2014. Deliverable A7. Preliminary Analysis of the Field Data for the Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 16.

Αθανασιάδης Ν.Η. & Γερασιμίδης Α.Μ. 1985. Δασικό Οικοσύστημα Στροφιλιά ΒΔ . Πελοποννήσου και Φυτοκοινωνιολογικές του μονάδες. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΚΗ: 247-263

Babalonas D. 1980. Vegetationseinheiten und Vegetationskartierung in dem Mündungsgebiet des Flusses Evros. Feddes Repert. 9 (9/10): 615 – 627.

Babalonas D., Σύκora K.V. & Papastergiadou E. 1995. Review of plant communities from Greek dunes and salt marshes. A preliminary summarizing list. Ann. Bot. (Roma) 53: 107-117.

Βαλλιανάτου Ε. 2005. Γεωβοτανική Έρευνα της Σαλαμίνας, Αίγινας και μερικών άλλων Νησιών του Σαρωνικού Κόλπου. Διδακτορική Διατριβή. Εθνικό και Καποδιστριακό Πανεπιστήμιο Αθηνών, σελ. 558.

Βασιλείου Α., Μπαμπαλώνας Δ. & Greuter W. 2000. Ανάλυση της βλάστησης και των εδαφικών συνθηκών στη λιμνοθάλασσα της Επανομής. Πρακτικά 8ου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρείας, Πάτρα, 5-8 Οκτωβρίου 2000: 89-95.

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

- Γεωργιάδης Θ., Δημόπουλος Π., Πανίτσα Μ. & Δημητρέλλος Γ. 1996. Τα φυσικά οικοσυστήματα της Πελοποννήσου με βάση την ποικιλότητα σε τύπους οικοτόπων και τα σημαντικά τους είδη. Πρακτικά 6ου Επιστημονικού Συνεδρίου της Ελληνικής Βοτανικής Εταιρείας και της Βιολογικής Εταιρείας Κύπρου, Παραλίμνι Κύπρου, 6-11 Απριλίου 1996: 68-73.
- Δρόσος Ε., Αθανασιάδης Ν., Θεοδωρόπουλος Κ. & Ελευθεριάδου Ε. 1996. Αμμόφιλες, Αλόφιλες και υδρόφιλες φυτοκοινωνίες του Δέλτα του Θεσσαλικού Πηνειού ποταμού. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος 39(1): 327-365.
- Economidou E. 1975. La vegetation halophytique de l' Attique et sa protection. Colloques phytosociologiques IV: 35-41
- Gehu J.M., Apostolides N., Gehu-Franck J. & Arnold K. 1989. Premières données sur la vegetation littorale des îles de Rhodos et de Karpathos (Grèce). Colloques phytosociologiques XIX: 545-582.
- Gehu J.M., Costa M., Biondi E., Franck J. & Arnold N. 1987. Données sur la vegetation littorale de la Crete (Grèce). Ecologia Mediterranea XIII (1/2): 93-105.
- Georgiadis Th., Dimopoulos P. & Dimitrellos G. 1997. The flora and vegetation of the Acheron Delta (W Greece) aiming at nature conservation. Phytosociologia 30: 31-60.
- Θεοδωρόπουλος Κ. 2001. Ζώνες βλάστησης και τύποι οικοτόπων του νομού Θεσσαλονίκης. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 353-381.
- Κωνσταντινίδης Π. & Τσιουρλής Γ. 2001. Οι βλαστητικές μονάδες (τύποι οικοτόπων) της Επαρχίας Λαγκαδά (Λεκάνη Μυγδονίας): Μέρος Ι: Περιγραφή, ανάλυση και χαρτογράφηση. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 627-654.
- Κωνσταντινίδης Π. & Τσιουρλής Γ. 2001. Οι τύποι οικοτόπων της Επαρχίας Λαγκαδά (Λεκάνης Μυγδονίας): Μέρος ΙΙ. Οικολογική κατάσταση και δυναμική. Επιστ. Επετ. Τμημ. Δασολογίας & Φυσικού Περιβάλλοντος ΜΔ: 655-680.
- Μπαμπαλώνας Δ.Γ. 1979. Φυτοκοινωνιολογική Μελέτη επί της Βλαστήσεως του Δέλτα του Ποταμού Έβρου (Αινήσιον Δέλτα). Διδακτορική Διατριβή. ΑΠΘ, σελ. 158 + Παράρτημα με 2 πίνακες.
- Μπαμπαλώνας Δ. 1979. Οι φυτοκοινωνιολογικές τάξεις *Ammophiletalia arundinaceae* (Br.-Bl. 1933) R. Tx. Et *Oberd. 1958* και *Elymetalia gigantei* Vich. 1971 στην οριακή θέση της Θράκης. Πρακτικά 1ης επιστημονικής ημερίδας Ελληνικής Εταιρείας Βιολογικών Επιστημών. Θεσσαλονίκη.
- Oberdorfer E. 1952. Beitrag zur Kenntnis der Nordägäischen Küstenvegetation. Vegetatio 3: 329-349.
- Sarika M. 2012. Flora and vegetation of some coastal ecosystems of Sterea Ellas and eastern continental Greece. Lazaroa 33: 65-99.
- Stroh H.G. 2002. Untersuchungen zur Therophytenvegetation naturnaher und anthropogener Habitats in West-Thrakien/Griechenland mit Bemerkungen zu deren standrtlicher und ethnographischer Differenzierung. Forschungsbericht. Göttingen, pg. 35 + Annex+Tables.
- Sýkora K.V., Babalonas D. & Papastergiadou E. 1998. An overview of the coastal vegetation of Greece based on multivariate analysis: Dunes. Proceedings of the 1st Balkan Botanical Congress (Progress in Botanical Research), Thessaloniki 1998. Kluwer Academic Publishers, 149-152.
- Sýkora K.V., Babalonas D. & Papastergiadou E. 2003. Strandline and sand-dune vegetation of coasts of Greece and some other Aegean countries. Phytocoenologia 33(2-3): 409-446.
- Vasiliou A. 2000. Die psammophile und halophile Vegetation des Lagunenkomplexes Epanomi (Makedonien, Nordgriechenland). Pflanzensoziologische und floristische Untersuchungen. Diplomarbeit, Freie Universität Berlin, pg. 125.

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Walther K. 1969. Halmfrucht-gesellschaften in Griechenland. Vegetatio 18 (1-6): 263-272.

Wolff W.J. 1968. The halophilous vegetation of the lagoons of Mesolonghi, Greece. Vegetatio 16: 95-134

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km ²)	1748
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km ²) operator approximately equal to (≈) unknown No method
2.3.10 Reason for change	Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat

2.4.1 Surface area (km ²)	69,36
2.4.2 Year or period	2000-2012
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2000-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min max
2.4.7 Short term trend method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.8 Long-term trend period	
2.4.9 Long-term trend direction	N/A
2.4.10 Long-term trend magnitude	min max
2.4.11 Long term trend method used	N/A
2.4.12 Favourable reference area	area (km) operator more than (>) unknown No method
2.4.13 Reason for change	Improved knowledge/more accurate data Use of different method

2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
Cultivation (A01)	low importance (L)	N/A
modification of cultivation practices (A02)	low importance (L)	N/A
grazing (A04)	low importance (L)	N/A
Roads, paths and railroads (D01)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
Discharges (E03)	low importance (L)	N/A
Hunting and collection of wild animals (terrestrial) (F03)	low importance (L)	N/A

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
Sport and leisure structures (G02)	low importance (L)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Biocenotic evolution, succession (K02)	low importance (L)	N/A
Changes in abiotic conditions (M01)	low importance (L)	N/A
Other ecosystem modifications (J03)	low importance (L)	N/A

2.5.1 Method used – pressures mainly based on expert judgement and other data (2)

2.6 Main Threats

Threat	ranking	pollution qualifier(s)
Cultivation (A01)	low importance (L)	N/A
modification of cultivation practices (A02)	low importance (L)	N/A
grazing (A04)	low importance (L)	N/A
Roads, paths and railroads (D01)	low importance (L)	N/A
Urbanised areas, human habitation (E01)	low importance (L)	N/A
Discharges (E03)	low importance (L)	N/A
Hunting and collection of wild animals (terrestrial) (F03)	low importance (L)	N/A
Outdoor sports and leisure activities, recreational activities (G01)	low importance (L)	N/A
Sport and leisure structures (G02)	low importance (L)	N/A
Soil pollution and solid waste (excluding discharges) (H05)	low importance (L)	N/A
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Other ecosystem modifications (J03)	low importance (L)	N/A

2.6.1 Method used – threats expert opinion (1)

2.7 Complementary Information

2.7.1 Species

Salicornia perennans (syn: Salicornia europaea)

Suaeda maritima

Phleum crypsoides

Aeluropus littoralis

Chlamydomphora tridentata

Frankenia pulverulenta

Arthrocnemum macrostachyum

Puccinellia distans

Suaeda splendens

Aeluropus lagopoides

Hymenolobus procumbens

Bellium minutum

Catapodium balearicum

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

Sarcocornia fruticosa

Spergularia diandra

Mesembryanthemum nodiflorum

Halocnemum strobilaceum

Plantago weldenii

Limonium echioides

Limonium elaphonicum

Spergularia bocconeii

2.7.2 Species method used

Typical species were determined on the basis of a vegetation database, comprised of about 22000 sampling plots. First, a list of possible typical species was determined per habitat type, selecting the ones presenting a high fidelity value to the habitat types according the algorithm of Tsiripidis et al. (2009) and the phi coefficient value (Chytrý et al. 2002). Then typical species per habitat type were selected from the above-mentioned lists by expert judgment and using as criteria species niche breadth, their ability to comprise indicators of habitat types' conservation status and their function as keystone species. The nomenclature of the typical species follows Dimopoulos et al. (2013).

References

Chytrý, M., Tichý, L., Holt, J. & Botta-Dukat, J. 2002. Determination of diagnostic species with statistical fidelity measures. *Journal of Vegetation Science* 13: 79–90.

Dimopoulos, P., Raus, Th., Bergmeier, E., Constantinidis, Th., Iatrou, G., Kokkini, S., Strid, A. & Tzanoudakis, D. 2013: *Vascular plants of Greece: an annotated checklist*. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin; Athens: Hellenic Botanical Society. *Englera* 31: 1-367.

Tsiripidis, I., Bergmeier, E., Fotiadis, G. & Dimopoulos, P. 2009. A new algorithm for the determination of differential taxa. *Journal of Vegetation Science* 20: 233-240.

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Complete survey/Complete survey or a statistically robust estimate (3)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

assessment Favourable (FV)
qualifiers N/A

2.8.2 Area

assessment Inadequate (U1)
qualifiers stable (=)

2.8.3 Specific structures and functions (incl Species)

assessment Favourable (FV)
qualifiers N/A

2.8.4 Future prospects

assessment Inadequate (U1)
qualifiers stable (=)

2.8.5 Overall assessment of Conservation Status

Inadequate (U1)

2.8.5 Overall trend in Conservation Status

stable (=)

Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

3. Natura 2000 coverage _conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

min 40,13 max 40,13

3.1.2 Method used

Complete survey/Complete survey or a statistically robust estimate (3)

3.1.3. Trend of surface area

stable (0)

3.2 Conversation Measures

3.2.1 Measure

3.2.2 Type

3.2.3 Ranking

3.2.4 Location

3.2.5 Broad Evaluation

Establish protected areas/sites (6.1)

Legal
Administrative
One-off

high importance
(H)

Inside

Enhance
Long term