

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

CODE: 3260

NAME: Water courses of plain to montane levels with the *Ranunculion fluitantis* and *Callitriche-Batrachion* vegetation

## 1. National Level

### 1.1 Maps

1.1.1 Distribution Map	Yes
1.1.2 Distribution Method	Estimate based on partial data with some extrapolation and/or modelling (2)
1.1.3 Year or period	2006-2012
1.1.4 Additional map	No
1.1.5 Range Map	Yes

## 2. Biogeographical Or Marine Level

### 2.1 Biogeographical Region

### 2.2 Published

#### Mediterranean (MED)

Dimopoulos P., Xystrakis F. and Tsiripidis I. 2014. Deliverable A1. Final Catalogue of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 54.

Dimopoulos P., Fotiadis G., Tsiripidis I., Panitsa M. and Karadimou E. 2014. Deliverable A2. Report and Literature Database on Habitat Types of Greece – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 210.

Tsiripidis I., Xystrakis F., Kasampalis D., Mastrogianni A., Strid A. and Dimopoulos P., 2014. Deliverable A4. Potential Distribution Maps of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, Athens, pages 176.

Dimopoulos P., Tsiripidis I., Xystrakis F., Panitsa M., Fotiadis G., Kallimanis A.S. and Kazoglou I. 2014. Deliverable A6. Explanatory Implementation Manual for the Conservation Degree Assessment of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 35. (with Annexes: I. Habitat types protocols, pages 600; II. Explanatory notes on the habitat types protocols selection, pages 4; III. Correspondence of Habitat types protocols with the clusters of vegetation relevés (excel file).

Dimopoulos P., Tsiripidis I., Xystrakis F., Kallimanis A.S and Panitsa M. 2014. Deliverable A7. Preliminary Analysis of the Field Data for the Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 16.

Bergmeier E. 1990. Spontanvegetation nordgriechischer Bergdörfer. *Folia Geobotanica Phyto-taxonomica* 25: 27-61.

Βραχνάκης Μ., Φωτιάδης Γ. & Καζόγλου Ι. 2011. Τύποι Οικοτόπων Εθνικού Πάρκου Πρεσπών – Αναγνώριση-Καταγραφή 2011. Εταιρία Προστασίας Πρεσπών, σελ. 101.

Dimopoulos P., Sýkora K.V., Gilissen C., Wiecherink D. & Georgiadis T. 2005. Vegetation ecology of Kalodiki fen (NW Greece). *Biologia/Bratislava* 60 (1): 69-82.

Grandstein S.R. & Smittenberg J.H. 1977. The hydrophilus vegetation of western Crete. *Vegetatio* 34(2): 65-86

Sarika M., Dimopoulos P. & Yannitsaros A. 2005. Contribution to the knowledge of the wetland flora and vegetation of Amvrakikos Gulf. W Greece. *Willdenowia* 35: 69-85.

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

## 2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km <sup>2</sup> )	0,23
2.3.2 Range method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.3.3 Short-term trend period	2001-2012
2.3.4 Short-term trend direction	stable (0)
2.3.5 Short-term trend magnitude	min max
2.3.6 Long-term trend period	
2.3.7 Long-term trend direction	N/A
2.3.8 Long-term trend magnitude	min max
2.3.9 Favourable reference range	area (km <sup>2</sup> ) operator approximately equal to (≈) unkown No method
2.3.10 Reason for change	Improved knowledge/more accurate data Use of different method

## 2.4 Area covered by Habitat

2.4.1 Surface area (km <sup>2</sup> )	0,23
2.4.2 Year or period	2000-2012
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2001-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min max
2.4.7 Short term trend method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.8 Long-term trend period	
2.4.9 Long-term trend direction	N/A
2.4.10 Long-term trend magnitude	min max
2.4.11 Long term trend method used	N/A
2.4.12 Favourable reference area	area (km) operator approximately equal to (≈) unknown No method
2.4.13 Reason for change	Improved knowledge/more accurate data Use of different method

## 2.5 Main Pressures

Pressure	ranking	pollution qualifier(s)
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Biocenotic evolution, succession (K02)	low importance (L)	N/A

2.5.1 Method used – pressures mainly based on expert judgement and other data (2)

## 2.6 Main Threats

Threat	ranking	pollution qualifier(s)
human induced changes in hydraulic conditions (J02)	low importance (L)	N/A
Biocenotic evolution, succession (K02)	low importance (L)	N/A

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

2.6.1 Method used – threats expert opinion (1)

## 2.7 Complementary Information

### 2.7.1 Species

*Alisma lanceolatum*

*Alisma plantago-aquatica*

*Apium nodiflorum*

*Bolboschoenus maritimus*

*Ceratophyllum demersum*

*Chara* species

*Lepidium coronopus* (syn: *Coronopus squamatus*)

*Cyperus longus* subsp. *badius* (syn: *Cyperus badius*)

*Elytrigia elongata* (syn: *Elymus elongatus*)

*Fontinalis antipyretica*

*Lemna minor*

*Ludwigia palustris*

*Lythrum* species

*Myriophyllum spicatum*

*Nasturtium officinale*

*Phragmites australis*

*Plantago lanceolata*

*Potamogeton nodosus*

*Potamogeton* species

*Potentilla reptans*

*Ranunculus peltatus*

*Ranunculus rionii*

*Ranunculus trichophyllus*

*Rumex pulcher*

*Zannichellia palustris*

### 2.7.2 Species method used

Typical species were determined on the basis of a vegetation database, comprised of about 22000 sampling plots. First, a list of possible typical species was determined per habitat type, selecting the ones presenting a high fidelity value to the habitat types according the algorithm of Tsiripidis et al. (2009) and the phi coefficient value (Chytrý et al. 2002). Then typical species per habitat type were selected from the above-mentioned lists by expert judgment and using as criteria species niche breadth, their ability to comprise indicators of habitat types' conservation status and their function as keystone species. The nomenclature of the typical species follows Dimopoulos et al. (2013).

#### References

Chytrý, M., Tichý, L., Holt, J. & Botta-Dukat, J. 2002. Determination of diagnostic species with statistical fidelity measures. *Journal of Vegetation Science* 13: 79–90.

Dimopoulos, P., Raus, Th., Bergmeier, E., Constantinidis, Th., Iatrou, G., Kokkini, S., Strid, A. & Tzanoudakis, D. 2013: *Vascular plants of Greece: an annotated*

# Report on the main results of the surveillance under article 17 for annex I habitat types (Annex D)

checklist. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin; Athens: Hellenic Botanical Society. Englera 31: 1-367.  
 Tsiripidis, I., Bergmeier, E., Fotiadis, G. & Dimopoulos, P. 2009. A new algorithm for the determination of differential taxa. Journal of Vegetation Science 20: 233-240.

2.7.3 Justification of % - thresholds for trends
2.7.4 Structure and functions - methods used
2.7.5 Other relevant information

Complete survey/Complete survey or a statistically robust estimate (3)

## 2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range	assessment Favourable (FV) qualifiers N/A
2.8.2 Area	assessment Favourable (FV) qualifiers N/A
2.8.3 Specific structures and functions (incl Species)	assessment Unknown (XX) qualifiers N/A
2.8.4 Future prospects	assessment Favourable (FV) qualifiers N/A
2.8.5 Overall assessment of Conservation Status	Favourable (FV)
2.8.5 Overall trend in Conservation Status	N/A

## 3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

### 3.1 Area covered by habitat

3.1.1 Surface area (km <sup>2</sup> )	min 0,23 max 0,23
3.1.2 Method used	Complete survey/Complete survey or a statistically robust estimate (3)
3.1.3. Trend of surface area	stable (0)

### 3.2 Conversation Measures

3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Establish protected areas/sites (6.1)	Legal Administrative One-off	high importance (H)	Inside	Maintain Long term