CODE: 91BA

NAME: Moesian silver fir forests

1. National Level

1.1 Maps

1.1.1 Distribution Map

1.1.2 Distribution Method

1.1.3 Year or period

1.1.4 Additional map

1.1.5 Range Map

Yes

Estimate based on partial data with some extrapolation and/or modelling (2)

2006-2012

No

Yes

2. Biogeographical Or Marine Level

2.1 Biogeographical Region

2.2 Published

Mediterranean (MED)

Dimopoulos P., Xystrakis F. and Tsiripidis I. 2014. Deliverable A1. Final Catalogue of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 54. Dimopoulos P., Fotiadis G., Tsiripidis I., Panitsa M. and Karadimou E. 2014. Deliverable A2. Report and Literature Database on Habitat Types of Greece – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 210.

Tsiripidis I., Xystrakis F., Kasampalis D., Mastrogianni A., Strid A. and Dimopoulos P., 2014. Deliverable A4. Potential Distribution Maps of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, Athens, pages 176.

Dimopoulos P., Tsiripidis I., Xystrakis F., Panitsa M., Fotiadis G., Kallimanis A.S. and Kazoglou I. 2014. Deliverable A6. Explanatory Implementation Manual for the Conservation Degree Assessment of Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 35. (with Annexes: I. Habitat types protocols, pages 600; II. Explanatory notes on the habitat types protocols selection, pages 4; III. Correspondence of Habitat types protocols with the clusters of vegetation relevés (excel file).

Dimopoulos P., Tsiripidis I., Xystrakis F., Kallimanis A.S and Panitsa M. 2014. Deliverable A7. Preliminary Analysis of the Field Data for the Habitat Types – 1st edition. Ministry of Environment, Energy and Climate Change, OIKOM Ltd - E. Alexandropoulou - A. Glavas, Athens, pages 16.

2.3 Range of the habitat type in the biogeographical region or marine region

2.3.1 Surface area - Range (km²)

2.3.2 Range method used

2.3.3 Short-term trend period

2.3.4 Short-term trend direction

2.3.5 Short-term trend magnitude

2.3.6 Long-term trend period

2.3.7 Long-term trend direction

2.3.8 Long-term trend magnitude

2.3.9 Favourable reference range

25

Estimate based on partial data with some extrapolation and/or modelling (2)

2001-2012 stable (0)

min max

N/A

min max

area (km²)

operator approximately equal to (≈)

unkown No

method

2.3.10 Reason for change

Improved knowledge/more accurate data Use of different method

2.4 Area covered by Habitat	
2.4.1 Surface area (km²)	1,2
2.4.2 Year or period	2000-2012
2.4.3 Method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.4 Short-term trend period	2001-2012
2.4.5 Short-term trend direction	stable (0)
2.4.6 Short-term trend magnitude	min max
2.4.7 Short term trend method used	Estimate based on partial data with some extrapolation and/or modelling (2)
2.4.8 Long-term trend period	
2.4.9 Long-term trend direction	N/A
2.4.10 Long-term trend magnitude	min max
2.4.11 Long term trend method used	N/A
2.4.12 Favourable reference area	area (km)
	operator approximately equal to (≈)
	unknown No
	method

2.5 Ma	ain Pressures	
--------	---------------	--

2.4.13 Reason for change

Pressure	ranking	pollution qualifier(s)
No threats or pressures (X)	()	N/A

Improved knowledge/more accurate data Use of different method

2.5.1 Method used – pressures	mainly based on expert judgement and other data (2)	
2.6 Main Threats		
Threat	ranking	pollution qualifier(s)

Threat	ranking	pollution qualifier(s)
No threats or pressures (X)	()	N/A

2.6.1 Method used – threats	expert opinion (1)
2.7 Complementary Information	
2.7.1 Species	
Abies alba	
Daphne mezereum	
Dryopteris filix-mas	
Fagus sylvatica	
Geranium macrorrhizum	
Hieracium murorum	
Milium effusum	
Orthilia secunda	

Pulmonaria rubra

Rubus idaeus

Vaccinium myrtillus

2.7.2 Species method used

Typical species were determined on the basis of a vegetation database, comprised of about 22000 sampling plots. First, a list of possible typical species was determined per habitat type, selecting the ones presenting a high fidelity value to the habitat types according the algorithm of Tsiripidis et al. (2009) and the phi coefficient value (Chytrý et al. 2002). Then typical species per habitat type were selected from the above-mentioned lists by expert judgment and using as criteria species niche breadth, their ability to comprise indicators of habitat types' conservation status and their function as keystone species. The nomenclature of the typical species follows Dimopoulos et al. (2013). References

Chytrý, M., Tichý, L., Holt, J. & Botta-Duká t, J. 2002. Determination of diagnostic species with statistical fidelity measures. Journal of Vegetation Science 13: 79–90.

Dimopoulos, P., Raus, Th., Bergmeier, E., Constantinidis, Th., latrou, G., Kokkini, S., Strid, A. & Tzanoudakis, D. 2013: Vascular plants of Greece: an annotated checklist. – Berlin: Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität Berlin; Athens: Hellenic Botanical Society. Englera 31: 1-367. Tsiripidis, I., Bergmeier, E., Fotiadis, G. & Dimopoulos, P. 2009. A new algorithm for the determination of differential taxa. Journal of Vegetation Science 20: 233-240.

2.7.3 Justification of % - thresholds for trends

2.7.4 Structure and functions - methods used

2.7.5 Other relevant information

Complete survey/Complete survey or a statistically robust estimate (3)

2.8 Conclusions (assessment of conservation status at end of reporting period)

2.8.1 Range

2.8.2 Area

2.8.3 Specific structures and functions (incl Species)

2.8.4 Future prospects

2.8.5 Overall assessment of Conservation Status

2.8.5 Overall trend in Conservation Status

assessment Favourable (FV)

qualifiers N/A

Favourable (FV)

N/A

3. Natura 2000 coverage conservation measures - Annex I habitat types on biogeographical level

3.1 Area covered by habitat

3.1.1 Surface area (km²)

min

0,5

max

0,5

3.1.2 Method used Complete survey/Complete survey or a statistically robust estimate (3) 3.1.3. Trend of surface area stable (0)

3.2 Conversation Measures				
3.2.1 Measure	3.2.2 Type	3.2.3 Ranking	3.2.4 Location	3.2.5 Broad Evaluation
Establish protected areas/sites (6.1)	Legal Administrative One-off	medium importance (M)	Inside	Maintain Long term